

**Review Article**

# Cyber Physical Systems for Automotive Vehicles: Challenges and Applications

**Karthik Srinivasn, Sathyaraj Palanichamy**

Department of ECE, ARASU Engineering College, Kumbakonam, India

**Email address:**

skarthikmtech@gmail.com (K. Srinivasn), sathya.raj721@gmail.com (S. Palanichamy)

**To cite this article:**Karthik Srinivasn, Sathyaraj Palanichamy. Cyber Physical Systems for Automotive Vehicles: Challenges and Applications. *American Journal of Networks and Communications*. Vol. 8, No. 1, 2019, pp. 18-22. doi: 10.11648/j.ajnc.20190801.12**Received:** May 4, 2019; **Accepted:** June 2, 2019; **Published:** July 1, 2019

---

**Abstract:** Cyber-physical systems mix digital and analog devices, interfaces, networks, pc systems, and also the like with the natural and unreal physical world. Cyber-physical systems that combine discrete and continuous dynamics are everywhere including automatic or semi-automatic controllers in modern cars, trains, airplanes, ground robots, robotic household appliances, or surgical robots. Cyber-physical systems (CPSs) are considered to be the next generation systems in which computing, communication, and control technologies are firmly integrated. Research on CPSs is fundamentally important for engineered systems in many important application domains such as transportation, energy, medical systems and major investments are being made worldwide to develop the technology. In this paper we are going to discuss about the features of developing cyber physical systems, Design challenges and the application of CPS in automotive domain. Most of the innovation in automotive domain is in electronics and software. All new features in modern cars—like advanced driver assistance systems—are based on electronics and software rather than on mechanical engineering innovations. A modern high-end car has over 100 million lines of code and it is widely believed that this number will continue to grow in the near future. Such code implements different control applications spanning across various functionalities—from safety-critical functions, to driver-assistance and comfort-related ones.

**Keywords:** Cyber-physical Systems, Design Challenges, Automotive

---

## 1. Introduction

A CPS is a system in which the information processing and physical processes are so tightly integrated that it is not possible to identify whether behaviors are the result of physical and computational objects. Today, most of the innovation in the automotive domain is in electronics and software. All new features in modern cars—like advanced driver assistance systems—are based on electronics and software rather than on mechanical engineering innovations. A modern high-end car has over 100 million lines of code [1] and it is widely believed that this number will continue to grow in the near future. A cyber-physical system is “the next invention system that requires stretched amalgamation of computing, communication, and control technologies to attain stability, recital, consistency, robustness, and competence in dealing with physical systems of the many application domains” [1]. A cyber-physical vehicle system

ranging from automobile to aircraft and marine craft, is composed of tightly-coupled locomotion, computational and communication components. The CPVS expansion has been determined by progress in closely-related autonomous vehicle examination [2] and cooperative vehicle management to extend system capability and improve safety and potency. CPS research generally aims to synergistically integrate control, computing, communications and physical systems in novel ways that leverage interdependent behavior.

Consumer devices, like good phones, multimedia players and gaming systems, respond to voice commands, and wearable electronics are ubiquitous. Smart buildings square measure equipped with advanced sensors, pervasive networking and economical energy management systems. Advances in medical devices can lower costs and improve patient care [3]. New software-enabled functionality, increased connectivity and physiologically closed-loop systems have the potential to reduce human error that can cost lives. A new energy service system dubbed the “smart

grid” assure to exploit Hertz technologies to expand configurability, flexibility, reactivity and self-manageability, but will simultaneously require CPS breakthroughs in security to monitor, manage and thwart threats both to the physical units including the grid, as well as the cyber assaults on its networked components. Most relevant to the add this paper is that the application of Hertz analysis to vehicle systems. In this domain, CPVS analysis offers a rise in autonomy, reconfigurability, responsibility, system capability, safety, energy potency and strength. Comprehensive holistic CPVS co-design would account for cyber and physical resources spanning the life-cycle of a system or system of systems. Emerging CPVS analysis

extends the normal independently-designed system architectures for contemporary vehicles toward ways of dependent and integrated CPVS co-design. In Figure 1, we show the often segregated design techniques contrasted with the tight coupling and integration in a co-designed CPVS.

CPVS analysis demand new models, new abstractions, new performance metrics, new vogue methodologies, new integration ways that for large-scale systems, new ways that of reasoning regarding uncertainty and a revolution in however we think about computing. This paper focuses on emerging CPS for vehicles and automation. It explores the possibilities for optimization and real-time control or regulation work as it relates to CPVS design.




Figure 1. An Evolution toward Cyber-Physical system.

## 2. History of CPS

The term “cyber,” as a prefix, stems from the sector of analysis referred to as “cybernetics”, the scientific study of management and communication within the animal and also the machine [4]. Cybernetics as a field of analysis within the era began within the Forties with mathematician, Warren McCulloch, Ross Ashby, mathematician and gray Walter. Since then, however, semantically, “cyber” is usually

associated with information technology, computers and the Internet or to denote control in the computer or electronic context [5]. Perhaps the foremost fitting definition of the word “cyber” from “cybernetics” stems from Plato’s The full general and is “the study of self-governance” [6]. As a field of analysis, CPS strives to improve self-governance for machines, infrastructure and devices. An excellent exposition on Hz analysis and its history may be found in the study [1]. We highlight choose key events on a timeline in Figure 2.




Figure 2. History of CPS.

### 3. Cyber-Physical Vehicle Systems

Recent automotive appliances use numerous layers of conception in code and hardware to force locomotion, domestic and exterior communication and knowledge manipulation, such mission goals are safely achieved. Autonomy is no longer a question of “if”, but instead a question of “how much”. Every vehicle segment, aerospace, automotive has struggled with determinant the most effective levels of autonomy for every mission given current technology and expected operator data and talent. There area unit varied architectures for coming up with CPVS, often stemming primarily from the robotics community.

The CPVS integrate pedestrians, vehicles, sensors, road-side infrastructures, traffic management centers, satellites, and other transportation system components by adopting different variation of wireless communication technologies and standards. CPVSs of the future allow real-time traffic monitoring; increase in transportation safety and comfort through information exchange among traffic users; optimal traffic management; collision avoidance; and utilization of satellite based technology to connect drivers, roads, and vehicles smoothly. With the integration of CPS into infrastructures, vehicles, and roadways, CPVSs can achieve driver assistance, collision avoidance or notification, improvements in travel time without fear of unexpected delays, reductions in congestion, and advanced management over infrastructure and vehicles for energy saving. CPVSs rely not only on advanced sensor and embedded computer systems technology but also on wireless, cellular, and

satellite technologies for vehicle-to-vehicle (V2V), vehicle-to-pedestrian (V2P), and vehicle-to- infrastructure (V2I) communication to raised manage complicated traffic flow, guarantee safety, and extend situational awareness.

### 4. CPVS Challenges

Cyber-Physical Systems transforms our communication with the physical world. Since even heritage embedded systems need higher standards than general computing, we'd like to pay special attention to the present next generation physically-aware built system necessities if we actually want to place our full trust in them. Therefore, we would like to clarify the definitions of some common Hz system-level necessities /challenges. We have a tendency to associate main Hz challenges with their attributes in Figure. 3. Brief definitions for the challenges area unit given within the following and an outline, linking challenges to applications, concludes this section.

Dependability refers to the property of a system to perform needed functionalities throughout its operation while not vital degradation in its performance and outcome. Reliability reflects the degree of trust place within the whole system.

Maintainability refers to the property of a system to be repaired just in case a failure happens. A extremely reparable system ought to be repaired in an exceedingly easy and fast manner at the minimum expenses of supporting resources, and free from inflicting further faults throughout the upkeep method.




Figure 3. CPS Challenges.

Availability refers to the property of a system to be prepared for access even once faults occur. A extremely accessible system ought to isolate nonfunctional portion from itself and still operate while not it.

Safety refers to the property of a system to not cause any hurt, hazard or risk within or outside of it throughout its operation. a really safe system ought to suits each general and application-specific safety rules to a good extent and deploy safety assurance mechanisms just in case one thing went wrong.

Reliability refers to the degree of correctness that a system

provides to perform its perform. The certification of system capabilities regarding a way to do things properly doesn't mean that they're done properly.

Robustness refers to the power of a system to stay its stable configuration and stand up to any failures. A extremely strong system ought to still operate within the presence of any failures while not elementary changes to its original configuration and forestall those failures from obstructive or stopping its operation.

Predictability refers to the degree of foreseeing of a system's state/behavior/functionality either qualitatively or

quantitatively. A extremely predicable system ought to guarantee the required outcome of the system's behavior/functionality to a good extent each moment of your time at that it's operative whereas meeting all system necessities.

Accuracy refers to the degree of closeness of a system's measured/ observed outcome to its actual/calculated one. A extremely correct system ought to converge to the particular outcome as shut as attainable.

Security refers to the property of a system to manage access to the system resources and defend sensitive info from unauthorized disclosures. A extremely secure system ought to give protection mechanisms against unauthorized modification of data and unauthorized withholding of resources, and should be free from revelation of sensitive info to a good extent.

Reconfigurability refers to the property of a system to vary its configurations just in case of failure or upon inner or outer requests. A extremely reconfigurable system ought to be self-configurable, which means able to fine-tune itself dynamically and coordinate the operation of its parts at finer granularities.

Efficiency refers to the quantity of resources (such as energy, cost, time etc.) the system needs to deliver nominal functionalities. A extremely economical system ought to operate properly beneath optimum quantity of the system resources.

Integrity refers to the property of a system to guard itself or info inside it from unauthorized manipulation or modification to preserve correctness of the knowledge. A high integrity system ought to give intensive authorization and consistency check mechanisms. High integrity is one amongst the necessary properties of a Hz.

Interoperability refers to the power of the systems/components to figure along, exchange info and use this info to supply nominal services. A extremely practical system ought to give or settle for services tributary to effective communication and interoperation among system parts.

## 5. Conclusions

The Cyber-Physical System (CPS) is a promising paradigm for the design of current and future engineered systems and is expected to make an important impact on our interactions with the real world. The idea behind CPS places the focus on the integrated system design instead of on the cyber or the physical system independently. This paper has surveyed the literature describing methods to model and analyze CPVS with a focus on challenges of real-time embedded CPVS. Thus Most of the innovation in automotive domain is in electronics and software. All new features in modern cars—like advanced driver assistance systems—are based on electronics and software rather than on mechanical engineering innovations. Also with new

advancements in mobile devices and sensors new revolutions are possible in near future in vehicles and automobile industries. In the future, there are many research issues that are needed to be investigated in order to increase the efficiency and enhance the functionality and intelligence of the applications of mobile CPS. One direction is to consider mobile user privacy, which is fundamental to protect users' personal information and thus well interact and cooperate with users.

## References

- [1] Yanxiang Guo<sup>1, 2</sup>, Xiping Hu<sup>1, 2</sup>, Member, IEEE, Bin Hu<sup>3</sup>, Senior Member, Jun Cheng<sup>1, 2</sup> Mobile Cyber Physical Systems: Current Challenges and Future Networking Applications, IEEE Access (Volume: 6), VOLUME XX, 2017.
- [2] Kim, K. D.; Kumar, P. Cyber-Physical Systems: A Perspective at the Centennial. IEEE Proc. 2012, 100, 1287–1308.
- [3] Berger, C.; Rumpe, B. Autonomous Driving-5 Years after the Urban Challenge: The Anticipatory Vehicle as a Cyber-Physical System. In Proceedings of the 27th IEEE/ACM International Conference on Automated Software Engineering (ASE 2012), Essen, Germany, 3–7 September 2012.
- [4] Lee, I.; Sokolsky, O. Medical cyber physical systems. In Proceedings of the 2010 47th ACM/IEEE on Design Automation Conference (DAC), Anaheim, CA, USA, 2010; pp. 743–748.
- [5] Supervisory Control and Data Acquisition (SCADA) systems, Technical Information Bulletin 04-1, 2004. Retrieved on June 25, 2014 from [http://scadahacker.com/library/Documents/ICS\\_Basics/SCADA Basics - NCS TIB 04-1.pdf](http://scadahacker.com/library/Documents/ICS_Basics/SCADA Basics - NCS TIB 04-1.pdf).
- [6] Frank Golatowski, et al., "Service-Oriented Software Architecture for Sensor Networks," in Proc. of International Workshop on Mobile Computing (IMC), pp. 93-98. 2003.
- [7] James Manyika, et al., "Big data: The next frontier for innovation, competition, and productivity," McKinsey Global Institute (MGI), 2011.
- [8] Marilyn Wolf, Fellow IEEE, and Dimitrios Serpanos Safety and Security in Cyber-Physical Systems and Internet-of-Things Systems, Vol. 106, No. 1, January 2018 | Proceedings of the IEEE.
- [9] T. Hoque, S. Narasimhan, X. Wang, S. Mal-Sarkar, and S. Bhunia, "Golden-free hardware trojan detection with high sensitivity under process noise," J. Electron. Test., vol. 33, no. 1, pp. 107–124, Feb. 2017.
- [10] P. Koopman and M. Wagner, "Challenges in autonomous vehicle testing and validation," SAE Int. J. Trans. Safety, vol. 4, no. 1, pp. 15–24, 2016.
- [11] J. Hruska. IoT Devices Likely Drove Friday Internet Blackout, Some Products Already Recalled, ExtremeTech, Oct. 25, 2016.

## Biography



**Karthik Srinivasn** was born on 1.07.1982. In 2009 he graduated (M. Tech- VLSI Design) with distinction at the Tifac-Core SASTRA University in Thanjavur. He currently doing his PhD in the field of Nanotechnology at Anna University from 2017; He is currently working as Assistant Professor in Electronics and Communication Department at ARASU Engineering College, Kumbakonam. His area of interests includes Internet of Things, Cyber Physical Vehicle systems, Robotics, Automation and Nanoscience. He is an Android application developer and developed various applications for control and automation.



**Sathyaraj Palanichamy** was born on 25.04.1986 In 2014 he graduated (M. E- VLSI Design) at the Regional centre of Anna University madurai. He is currently working as Assistant Professor in Electronics and Communication Department at ARASU Engineering College, Kumbakonam. His area of interests includes Low power VLSI DESIGN and Cyber Physical Systems.